

## SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W ALFA ROMEO, AUDI, BMW, CHEVROLET-DAEWOO

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
<b>ALFA ROMEO</b>						
145/146	09.94-12.00	6Jx15	4	98	58	ET49,5
145/146	09.94-12.00	6Jx15	4	98	58	ET49,5
147	01.01-	6,5Jx15	5	98	58	ET41,5
147	01.01-	6,5Jx15	5	98	58	ET41,5
147	01.01-	6Jx15	5	98	58	ET37,5
147	01.01-	6Jx15	5	98	58	ET37,5
147GT	05.04-	6,5Jx15	5	98	58	ET41,5
147GT	05.04-	6,5Jx15	5	98	58	ET41,5
155	04.92-09.97	6Jx15	4	98	58	ET49,5
155	04.92-09.97	6Jx15	4	98	58	ET49,5
156/156 Sport Wagon	10.97-05.05	6,5Jx15	5	98	58	ET41,5
156/156 Sport Wagon	10.97-05.05	6,5Jx15	5	98	58	ET41,5
156/156 Sport Wagon	10.97-05.05	6Jx15	5	98	58	ET37,5
156/156 Sport Wagon	10.97-05.05	6Jx15	5	98	58	ET37,5
159/159 Sport Wagon	09.05-	7Jx16	5	110	65	ET34
159/159 Sport Wagon	09.05-	7Jx16	5	110	65	ET34
159/159 Sport Wagon	01.08-	7Jx16	5	110	65	ET34
166 (Facelift)	09.03-	6,5Jx16	5	108	58	ET36,5
166 (Facelift)	09.03-	6,5Jx16	5	108	58	ET36,5
Brera	02.06-	7Jx16	5	110	65	ET34
Brera	02.06-	7Jx16	5	110	65	ET34
Mito	09.08-	7Jx16	4	98	58	ET39
Mito	09.08-	7Jx16	4	98	58	ET39
Spider/GTV-Coupe	05.95-03.03	6Jx15	5	98	58	ET35
Spider/GTV-Coupe	05.95-03.03	6Jx15	5	98	58	ET35
<b>AUDI</b>						
100/200	09.80-06.91	5,5Jx14	4	108	57	ET45
100/200	12.90-06.94	6Jx15	5	112	57	ET45
100/200	12.90-06.94	6Jx15	5	112	57	ET45
80	09.91-09.94	6Jx15	4	108	57	ET37
80	09.91-09.94	6Jx15	4	108	57	ET37
80/90	09.86-08.91	5,5Jx14	4	108	57	ET45
80/90	10.90-03.96	6Jx15	4	108	57	ET37
80/90	10.90-03.96	6Jx15	4	108	57	ET37
A1	03.10-	6Jx15	5	112	57	ET30
A2	06.00-05.03	5,5Jx15	5	100	57	ET34
A2	06.00-12.05	5Jx15	5	100	57	ET28

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
A2	06.00-05.03	5Jx15	5	100	57	ET28
A2	06.00-05.03	5Jx15	5	100	57	ET28
A3	09.96-04.03	6Jx15	5	100	57	ET38
A3	09.96-04.03	6Jx15	5	100	57	ET38
A3	09.96-04.03	6,5Jx16	5	100	57	ET42
A3	09.96-04.03	6,5Jx16	5	100	57	ET42
A3/S3/Sportback	05.03-	6,5Jx16	5	112	57	ET50
A3/S3/Sportback	05.03-	6,5Jx16	5	112	57	ET50
A3/S3/Sportback	05.03-	6Jx16	5	112	57	ET50
A3/S3/Sportback	05.03-	6Jx16	5	112	57	ET50
A4	12.00-11.04	6,5Jx15	5	112	57	ET33
A4	12.00-11.04	6,5Jx15	5	112	57	ET33
A4	12.04-10.07	6,5Jx15	5	112	57	ET33
A4	12.94-11.00	6Jx15	5	112	57	ET45
A4	12.94-11.00	6Jx15	5	112	57	ET45
A4	12.00-06.02	7Jx16	5	112	57	ET42
A4	07.02-11.04	7Jx16	5	112	57	ET42
A4	07.01-11.04	7Jx16	5	112	57	ET42
A4	12.04-10.07	7Jx16	5	112	57	ET42
A4 (Facelift)	12.04-10.07	6,5Jx15	5	112	57	ET33
A4 (Facelift)	12.04-10.07	7Jx16	5	112	57	ET42
A4 (MY2008)	11.07-	7,5Jx16	5	112	66,5	ET45
A4 (MY2008)	11.07-	7Jx16	5	112	66,5	ET39
A4 (MY2008)	11.07-	7Jx16	5	112	66,5	ET39
A4 Cabrio	01.02-	7Jx16	5	112	57	ET42
A4 Cabrio	04.02-	7Jx16	5	112	57	ET42
A6	06.94-04.97	6Jx15	5	112	57	ET45
A6	05.97-08.99	6Jx15	5	112	57	ET45
A6	05.97-08.99	6Jx15	5	112	57	ET45
A6	06.94-04.97	6Jx15	5	112	57	ET45
A6	09.99-03.05	6Jx16	5	112	57	ET40
A6	09.99-03.05	6Jx16	5	112	57	ET40
A6	05.04-	7Jx16	5	112	57	ET42
A6/Avant	04.04-	7Jx16	5	112	57	ET42
A8	06.94-11.02	7Jx16	5	112	57	ET42
Cabrio	03.90-05.00	6Jx15	4	108	57	ET37
Cabrio	03.90-05.00	6Jx15	4	108	57	ET37
S3	05.03-	6,5Jx16	5	112	57	ET50

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W ALFA ROMEO, AUDI, BMW, CHEVROLET-DAEWOO

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
S3	05.03-	6Jx16	5	112	57	ET50
S3	01.99-12.03	6Jx16	5	100	57	ET31
S3	01.99-04.03	6Jx16	5	100	57	ET31
TT-Coupe/Roadster	09.99-08.02	6Jx16	5	100	57	ET31
TT-Coupe/Roadster	09.99-08.02	6Jx16	5	100	57	ET31
<b>BMW</b>						
1 (E87)	09.04-	6,5Jx16	5	120	72,5	ET42
1 (E87)	09.04-	6,5Jx16	5	120	72,5	ET42
1 (E87)	09.04-	6Jx16	5	120	72,5	ET37
1 (E88)	05.07-	6,5Jx16	5	120	72,5	ET42
1 (E88)	05.07-	6,5Jx16	5	120	72,5	ET42
1 (E88) Coupé/Cabrio	11.07-	7Jx16	5	120	72,5	ET44
1/Coupé/Cabrio	11.07-	7Jx16	5	120	72,5	ET44
3 (E30)	12.82-12.90	5,5Jx14	4	100	57	ET35
3 (E36)	12.90-04.98	6,5Jx15	5	120	72,5	ET47
3 (E36)	12.90-04.98	6,5Jx15	5	120	72,5	ET47
3 (E36)	12.90-04.98	6Jx15	5	120	72,5	ET42
3 (E36)	12.90-04.98	6Jx15	5	120	72,5	ET42
3 (E36)	08.95-04.98	7Jx16	5	120	72,5	ET47
3 (E36)	08.95-04.98	7Jx16	5	120	72,5	ET47
3 (E46)	04.98-09.05	6,5Jx15	5	120	72,5	ET42
3 (E46)	04.98-09.05	6,5Jx15	5	120	72,5	ET42
3 (E46)	04.98-09.05	6,5Jx15	5	120	72,5	ET42
3 (E46)	04.98-09.05	7Jx16	5	120	72,5	ET47
3 (E46)	04.98-09.05	7Jx16	5	120	72,5	ET47
3 (E46)	04.00-09.05	7Jx17	5	120	72,5	ET47
3 (E46)	04.00-09.05	7Jx17	5	120	72,5	ET47
3 (E90)	09.07-	7Jx16	5	120	72,5	ET34
3 (E90)	03.05-	7Jx16	5	120	72,5	ET34
3 (E90)	03.05-	7Jx16	5	120	72,5	ET34
3 (E90)	09.07-	7Jx16	5	120	72,5	ET31
3 Compact (E36/5)	04.94-05.01	6,5Jx15	5	120	72,5	ET47
3 Compact (E36/5)	04.94-05.01	6,5Jx15	5	120	72,5	ET47
3 Compact (E36/5)	04.94-05.01	6Jx15	5	120	72,5	ET42
3 Compact (E36/5)	04.94-05.01	6Jx15	5	120	72,5	ET42
3 Compact (E36/5)	04.94-05.01	7Jx16	5	120	72,5	ET47
3 Compact (E36/5)	04.94-05.01	7Jx16	5	120	72,5	ET47
3 Compact (E46/5)	06.01-03.05	6,5Jx15	5	120	72,5	ET42

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
3 Compact (E46/5)	06.01-03.05	6,5Jx15	5	120	72,5	ET42
3 Compact (E46/5)	06.01-03.05	6,5Jx15	5	120	72,5	ET42
3 Compact (E46/5)	06.01-03.05	7Jx16	5	120	72,5	ET47
3 Compact (E46/5)	06.01-03.05	7Jx16	5	120	72,5	ET47
3 Compact (E46/5)	06.01-03.05	7Jx17	5	120	72,5	ET47
3 Compact (E46/5)	06.01-03.05	7Jx17	5	120	72,5	ET47
3 Coupe/Cabrio (E36)	01.92-04.00	6,5Jx15	5	120	72,5	ET47
3 Coupe/Cabrio (E36)	01.92-04.00	6,5Jx15	5	120	72,5	ET47
3 Coupe/Cabrio (E36)	01.92-04.00	6Jx15	5	120	72,5	ET42
3 Coupe/Cabrio (E36)	01.92-04.00	6Jx15	5	120	72,5	ET42
3 Coupe/Cabrio (E36)	04.98-04.00	7Jx16	5	120	72,5	ET47
3 Coupe/Cabrio (E36)	04.98-04.00	7Jx16	5	120	72,5	ET47
3 Coupe/Cabrio (E46)	10.99-	6,5Jx15	5	120	72,5	ET42
3 Coupe/Cabrio (E46)	10.99-	6,5Jx15	5	120	72,5	ET42
3 Coupe/Cabrio (E46)	10.99-	7Jx16	5	120	72,5	ET47
3 Coupe/Cabrio (E46)	10.99-	7Jx16	5	120	72,5	ET47
3 Coupe/Cabrio (E46)	04.00-03.07	7Jx17	5	120	72,5	ET47
3 Coupe/Cabrio (E46)	04.00-03.07	7Jx17	5	120	72,5	ET47
3 Coupe/Cabrio (E90)	01.06-	7Jx16	5	120	72,5	ET34
3 Touring	05.95-09.99	6,5Jx15	5	120	72,5	ET47
3 Touring	05.95-09.99	6Jx15	5	120	72,5	ET42
3 Touring (E36/3)	05.95-09.99	6,5Jx15	5	120	72,5	ET47
3 Touring (E36/3)	05.95-09.99	6Jx15	5	120	72,5	ET42
3 Touring (E36/3)	08.95-09.99	7Jx16	5	120	72,5	ET47
3 Touring (E36/3)	08.95-09.99	7Jx16	5	120	72,5	ET47
3 Touring (E90)	08.05-	7Jx16	5	120	72,5	ET34
3 Touring (E90)	09.05-	7Jx16	5	120	72,5	ET34
3 xDrive (E46)	04.00-03.05	7Jx16	5	120	72,5	ET47
3 xDrive (E46)	04.00-03.05	7Jx16	5	120	72,5	ET47
3 xDrive (E46)	04.00-03.05	7Jx17	5	120	72,5	ET47
3 xDrive (E46)	04.00-03.05	7Jx17	5	120	72,5	ET47
3 xDrive (E90)	07.05-	7Jx16	5	120	72,5	ET34
5 (E34)	01.88-10.95	7Jx15	5	120	72,5	ET20
5 (E39)	11.95-07.03	6,5Jx15	5	120	74	ET18
5 (E39)	05.96-07.03	7Jx15	5	120	74	ET20
5 (E39)	05.96-07.03	7Jx15	5	120	74	ET20
5 (E60)	08.03-	7Jx16	5	120	72,5	ET20

## SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W ALFA ROMEO, AUDI, BMW, CHEVROLET-DAEWOO

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
5 (E60)	08.03-	7Jx16	5	120	72,5	ET20
5 Touring (E39)	03.97-11.04	7Jx15	5	120	74	ET20
5 Touring (E39)	03.97-07.03	7Jx15	5	120	74	ET20
5 Touring (E60)	01.06-	7Jx16	5	120	72,5	ET20
5 Touring (E60)	08.03-	7Jx16	5	120	72,5	ET20
Mini One/Cabrio/Cooper	09.01-	5,5Jx15	4	100	56	ET45
Mini One/Cabrio/Cooper	09.01-	5,5Jx15	4	100	56	ET45
Mini One/Cabrio/Cooper	09.01-	5,5Jx15	4	100	56	ET45
Mini One/Cabrio/Cooper	09.01-	5,5Jx16	4	100	56	ET45
Z3 Roadster	03.96-03.03	6Jx15	5	120	72,5	ET42
Z3 Roadster	03.96-03.03	6Jx15	5	120	72,5	ET42
Z3 Roadster/Coupe	03.96-03.03	6,5Jx15	5	120	72,5	ET47
Z3 Roadster/Coupe	03.96-03.03	6,5Jx15	5	120	72,5	ET47
Z3 Roadster/Coupe	07.98-03.03	7Jx16	5	120	72,5	ET47
Z3 Roadster/Coupe	07.98-03.03	7Jx16	5	120	72,5	ET47
<b>CHEVROLET-DAEWOO</b>						
Aveo	02.06-	5Jx13	4	100	56,5	ET45
Aveo	02.06-	5,5Jx14	4	100	56,5	ET45
Aveo	03.06-	5,5Jx14	4	100	56,5	ET45
Aveo	03.06-	5,5Jx14	4	100	56,5	ET45
Captiva	06.06-	6,5Jx16	5	115	70,3	ET46
Epica	07.06-	6Jx15	4	114,3	56,5	ET49
Epica	07.06-	6Jx15	4	114,3	56,5	ET49
Espero	02.95-05.97	5,5Jx14	4	100	56,5	ET49
Espero	02.95-05.97	5,5Jx14	4	100	56,5	ET49
Evanda	04.03-06.06	6Jx15	4	114,3	56,5	ET49
Evanda	04.03-06.06	6Jx15	4	114,3	56,5	ET49
Kalos	09.02-	5Jx13	4	100	56,5	ET45
Kalos	09.02-	5Jx13	4	100	56,5	ET45
Kalos	09.02-	5,5Jx14	4	100	56,5	ET45
Kalos	09.02-	5,5Jx14	4	100	56,5	ET45
Kalos	09.02-	5,5Jx14	4	100	56,5	ET45
Lacetti	04.04-	5,5Jx14	4	114,3	56,5	ET44
Lacetti	04.04-	5,5Jx14	4	114,3	56,5	ET44
Lacetti	04.04-	6Jx15	4	114,3	56,5	ET44
Lacetti	04.04-	6Jx15	4	114,3	56,5	ET44
Lanos	06.97-06.03	5Jx13	4	100	56,5	ET49
Lanos	06.97-06.03	5,5Jx14	4	100	56,5	ET49

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Lanos	06.97-09.02	5,5Jx14	4	100	56,5	ET49
Leganza	05.98-03.03	6Jx15	5	114,3	56,5	ET49
Matiz	05.98-05.05	4,5Jx13	4	114,3	69,1	ET45
Matiz	06.05-	4,5Jx13	4	114,3	69,1	ET45
Matiz	06.05-	4,5Jx13	4	114,3	69,1	ET45
Matiz	05.98-05.05	4,5Jx13	4	114,3	69,1	ET45
Nexia	02.95-12.99	5,5Jx13	4	100	56,5	ET49
Nexia	02.95-12.99	5,5Jx13	4	100	56,5	ET49
Nexia	02.95-12.99	5Jx13	4	100	56,5	ET49
Nexia	02.95-12.99	5,5Jx14	4	100	56,5	ET49
Nexia	02.95-12.99	5,5Jx14	4	100	56,5	ET49
Nubira	06.97-06.03	5,5Jx14	4	100	56,5	ET49
Nubira	06.97-06.03	5,5Jx14	4	100	56,5	ET49
Nubira J200	07.03-	5,5Jx14	4	114,3	56,5	ET44
Nubira J200	07.03-	5,5Jx14	4	114,3	56,5	ET44
Nubira J200	07.03-	6Jx15	4	114,3	56,5	ET44
Nubira J200	07.03-	6Jx15	4	114,3	56,5	ET44
Racer	03.95-12.99	5,5Jx13	4	100	56,5	ET49
Racer	03.95-12.99	5,5Jx13	4	100	56,5	ET49
Rezzo/Tacuma	06.01-	5,5Jx14	4	114,3	56,5	ET44
Rezzo/Tacuma	06.01-	5,5Jx14	4	114,3	56,5	ET44
Rezzo/Tacuma	06.01-	6Jx15	4	114,3	56,5	ET44
Rezzo/Tacuma	06.01-	6Jx15	4	114,3	56,5	ET44
Rezzo/Tacuma	06.01-	6Jx15	4	114,3	56,5	ET44