

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W MAZDA, MERCEDES, MITSUBISHI

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
<b>MAZDA</b>						
121	03.91-02.96	4,5Jx13	4	100	54	ET45
121	03.96-03.03	5Jx13	4	108	63,3	ET43,5
121	03.96-03.03	5Jx13	4	108	63,3	ET43,5
121	03.96-03.03	5Jx13	4	108	63,3	ET43,5
121	03.96-03.03	5,5Jx14	4	108	63,3	ET43,5
121	03.96-03.03	5,5Jx14	4	108	63,3	ET43,5
121	03.96-03.03	5,5Jx14	4	108	63,3	ET43,5
323	09.89-08.94	4,5Jx13	4	100	54	ET45
323	09.94-08.98	5Jx13	4	100	54	ET45
323	09.89-08.94	5Jx13	4	100	54	ET45
323	10.85-09.89	5Jx13	4	114,3	59,5	ET45
323	09.89-08.94	5,5Jx14	4	100	54	ET45
323	09.94-08.98	5,5Jx14	4	100	54	ET45
323	09.89-08.94	5,5Jx14	4	100	54	ET45
323	09.94-08.98	5,5Jx14	4	100	54	ET45
323F	02.01-09.03	6Jx15	5	114,3	67	ET50
323F	02.01-09.03	6Jx15	5	114,3	67	ET50
323S/323F	09.98-09.03	5,5Jx14	4	100	54	ET45
323S/323F	09.98-09.03	5,5Jx14	4	100	54	ET45
323S/323F	09.98-09.03	6Jx15	4	100	54	ET45
626	01.92-07.97	5,5Jx14	5	114,3	67	ET45
626	08.97-08.02	5,5Jx14	5	114,3	67	ET45
626	08.97-08.02	5,5Jx14	5	114,3	67	ET45
626	08.97-08.02	6Jx15	5	114,3	67	ET50
626	08.97-08.02	6Jx15	5	114,3	67	ET50
Demio	09.98-03.00	4,5Jx13	4	100	54	ET45
Demio	04.00-12.02	5Jx13	4	100	54	ET40
Demio	04.00-12.02	5Jx13	4	100	54	ET40
Demio	09.98-12.02	5,5Jx14	4	100	54	ET45
Demio	09.98-03.03	5,5Jx14	4	100	54	ET45
Mazda 2	04.03-09.07	5,5Jx14	4	108	63,3	ET47,5
Mazda 2	04.03-09.07	5,5Jx14	4	108	63,3	ET47,5
Mazda 2	10.07-	6Jx14	4	100	54	ET45
Mazda 2	10.07-	6Jx14	4	100	54	ET45
Mazda 2	10.07-	6Jx15	4	100	54	ET45
Mazda 2	10.07-	6Jx15	4	100	54	ET45
Mazda 3	03.09-	6Jx15	5	114,3	67	ET50

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Mazda 3	10.03-02.09	6Jx15	5	114,3	67	ET52,5
Mazda 3	10.03-02.09	6Jx15	5	114,3	67	ET52,5
Mazda 3	03.09-	6,5Jx16	5	114,3	67	ET50
Mazda 3	10.03-02.09	6,5Jx16	5	114,3	67	ET52,5
Mazda 3	10.03-02.09	6,5Jx16	5	114,3	67	ET52,5
Mazda 5	08.05-	6Jx15	5	114,3	67	ET52,5
Mazda 5	08.05-	6Jx15	5	114,3	67	ET52,5
Mazda 5	08.05-	6,5Jx16	5	114,3	67	ET50
Mazda 6	02.08-	6Jx16	5	114,3	67	ET50
Mazda 6	02.08-	6Jx16	5	114,3	67	ET50
Mazda 6 (Facelift)	07.05-01.08	6Jx15	5	114,3	67	ET50
Mazda 6 (Facelift)	07.05-01.08	6Jx15	5	114,3	67	ET50
Mazda 6/Sport	09.02-06.05	6Jx15	5	114,3	67	ET50
Mazda 6/Sport	09.02-06.05	6Jx15	5	114,3	67	ET50
MPV	09.99-08.02	6Jx15	5	114,3	67	ET50
MPV	09.02-12.05	6Jx15	5	114,3	67	ET50
MPV	09.02-12.05	6,5Jx16	5	114,3	67	ET50
MX-3	08.91-01.98	5,5Jx14	4	100	54	ET45
MX-3	08.91-01.98	5,5Jx14	4	100	54	ET45
MX-5	01.98-09.05	5,5Jx14	4	100	54	ET45
MX-5	01.98-09.05	5,5Jx14	4	100	54	ET45
MX-5	10.05-	6,5Jx16	5	114,3	67	ET55
MX-5 Miata	06.91-12.97	5,5Jx14	4	100	54	ET45
MX-5 Miata	06.91-12.97	5,5Jx14	4	100	54	ET45
MX-6	01.92-12.98	5,5Jx14	5	114,3	67	ET45
Premacy	06.99-05.05	5,5Jx14	5	114,3	67	ET45
Premacy	06.99-	5,5Jx14	5	114,3	67	ET45
Premacy	06.99-05.05	6Jx15	5	114,3	67	ET50
Premacy	06.99-	6Jx15	5	114,3	67	ET50
Tribute	09.01-12.06	6,5Jx16	5	114,3	67	ET50
Xedos-6	04.94-02.99	5,5Jx14	5	114,3	67	ET45
Xedos-9	06.93-05.00	6Jx15	5	114,3	67	ET50
E2000/E2200	01.00-08.00	5Jx14	6	139,7	93	ET50
<b>MERCEDES</b>						
190	01.85-09.93	6Jx15	5	112	66,5	ET49
A-class	10.04-	6Jx15	5	112	66,5	ET44
A-class	10.04-	6Jx15	5	112	66,5	ET44
A-class	10.04-	6Jx15	5	112	66,5	ET44

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W MAZDA, MERCEDES, MITSUBISHI

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
A-class	10.04-	6Jx16	5	112	66,5	ET46
A-class	10.04-	6Jx16	5	112	66,5	ET46
A-class	10.04-	6Jx16	5	112	66,5	ET46
A-class/A-class/L	10.97-09.04	5,5Jx15	5	112	66,5	ET54
A-class/A-class/L	10.97-09.04	5,5Jx15	5	112	66,5	ET54
A-class/A-class/L	12.98-09.04	5Jx15	5	112	66,5	ET44
A-class/A-class/L	12.98-09.04	5Jx15	5	112	66,5	ET44
B-třída	05.05-	6Jx15	5	112	66,5	ET44
B-třída	06.05-	6Jx15	5	112	66,5	ET44
B-třída	06.05-	6Jx15	5	112	66,5	ET44
B-třída	05.05-	6Jx16	5	112	66,5	ET46
B-třída	06.05-	6Jx16	5	112	66,5	ET46
B-třída	06.05-	6Jx16	5	112	66,5	ET46
C-class	09.95-04.00	6,5Jx15	5	112	66,5	ET37
C-class	09.95-04.00	6,5Jx15	5	112	66,5	ET37
C-class	03.07-	6Jx16	5	112	66,5	ET39
C-class	07.07-	6Jx16	5	112	66,5	ET39
C-class	09.95-04.00	7Jx16	5	112	66,5	ET37
C-class	03.07-	7Jx16	5	112	66,5	ET43
C-class	03.07-	7Jx16	5	112	66,5	ET43
C-class (Facelift)	04.04-02.07	7Jx16	5	112	66,5	ET31
C-class/Sportcoupe	05.00-02.07	6,5Jx15	5	112	66,5	ET37
C-class/Sportcoupe	05.00-02.07	6,5Jx15	5	112	66,5	ET37
C-class/Sportcoupe	05.00-02.07	6Jx15	5	112	66,5	ET31
C-class/Sportcoupe	05.00-02.07	6Jx15	5	112	66,5	ET31
C-class/Sportcoupe	05.00-02.07	7Jx16	5	112	66,5	ET37
C-class/Sportcoupe	05.00-02.07	7Jx16	5	112	66,5	ET37
CLK	08.05-	6,5Jx15	5	112	66,5	ET37
CLK	06.97-04.02	6,5Jx15	5	112	66,5	ET37
CLK	06.97-04.02	6,5Jx15	5	112	66,5	ET37
CLK	08.05-	6Jx15	5	112	66,5	ET31
CLK	06.97-04.02	7Jx15	5	112	66,5	ET37
CLK	06.97-04.02	7Jx16	5	112	66,5	ET37
CLK	05.02-	7Jx16	5	112	66,5	ET37
CLK	05.02-	7Jx16	5	112	66,5	ET37
CLK	06.97-04.02	7Jx16	5	112	66,5	ET37
E-class	06.95-03.02	6,5Jx15	5	112	66,5	ET37
E-class	06.95-03.02	6,5Jx15	5	112	66,5	ET37

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
E-class	01.85-04.96	6,5Jx15	5	112	66,5	ET49
E-class	01.85-05.93	6Jx15	5	112	66,5	ET49
E-class	06.95-03.02	7Jx15	5	112	66,5	ET37
E-class	06.95-03.02	7,5Jx16	5	112	66,5	ET41
E-class	06.95-03.02	7,5Jx16	5	112	66,5	ET41
E-class	04.02-	7,5Jx16	5	112	66,5	ET42
E-class	04.02-	7,5Jx16	5	112	66,5	ET42
E-class	04.02-	7Jx16	5	112	66,5	ET33
E-class	04.02-	7Jx16	5	112	66,5	ET33
E-class	04.02-	7Jx16	5	112	66,5	ET33
S-class	09.98-07.05	7,5Jx16	5	112	66,5	ET46
SLK	05.04-	7Jx15	5	112	66,5	ET37
SLK	09.96-	7Jx15	5	112	66,5	ET37
SLK	09.96-04.04	7Jx16	5	112	66,5	ET37
SLK	09.96-04.04	7Jx16	5	112	66,5	ET37
MB 600	01.86-12.00	6Jx16	6	205	161	HM132
Sprinter I	04.95-12.99	5,5Jx15	5	130	84	ET83
Sprinter I	04.95-04.00	5,5Jx15	6	205	161	ET108
Sprinter I	05.00-03.06	5,5Jx15	6	205	161	ET108
Sprinter I	05.00-03.06	5,5Jx15	6	205	161	ET108
Sprinter I	04.95-04.00	5,5Jx15	6	205	161	ET108
Sprinter I	04.95-12.99	6Jx15	5	130	84	ET83
Sprinter I	01.00-03.06	6Jx15	5	130	84	ET75
Sprinter I	01.00-03.06	6Jx15	5	130	84	ET75
Sprinter I	01.00-03.06	6Jx15	5	130	84	ET75
Sprinter I	08.00-03.06	6Jx16	6	205	161	HM132
Sprinter II	04.06-	6,5Jx16	6	130	84	ET62
Sprinter II	04.06-	6,5Jx16	6	130	84	ET62
Sprinter II	04.06-	6,5Jx16	6	130	84	ET62
Sprinter II	04.06-	6,5Jx16	6	130	84	ET62
Sprinter II	04.06-	6,5Jx16	6	130	84	ET62
V-class	09.96-07.03	5,5Jx15	5	112	67	ET60
V-class	09.96-07.03	5,5Jx15	5	112	67	ET60
V-class	09.96-07.03	6Jx15	5	112	67	ET60
Vaneo	01.02-12.05	5,5Jx15	5	112	66,5	ET42
Vaneo	01.02-	5,5Jx15	5	112	66,5	ET42
Viano	08.03-	6,5Jx16	5	112	66,5	ET60

SPIS ROZMIARÓW FELG I MOCOWAŃ STOSOWANYCH W MAZDA, MERCEDES, MITSUBISHI

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Viano	08.03-	6,5Jx16	5	112	66,5	ET60
Viano	08.03-	6Jx16	5	112	66,5	ET54
Viano/Vito	08.08-	6,5Jx16	5	112	66,5	ET60
Vito II	08.03-	6,5Jx16	5	112	66,5	ET60
Vito II	08.03-	6,5Jx16	5	112	66,5	ET60
Vito II	08.03-	6Jx16	5	112	66,5	ET54
Vito-F/Vito-L	04.96-07.03	6Jx15	5	112	67	ET60
Vito/Vito-L	04.96-08.03	5,5Jx15	5	112	67	ET60
Vito/Vito-L	04.96-08.03	5,5Jx15	5	112	67	ET60
Vito/Vito-L	04.96-08.03	6Jx15	5	112	67	ET60
<b>MITSUBISHI</b>						
Carisma	09.95-05.01	5,5Jx14	4	114,3	67	ET46
Carisma	01.00-05.01	5,5Jx14	4	114,3	67	ET46
Carisma	06.01-12.04	6Jx15	4	114,3	67	ET44
Carisma	09.95-05.01	6Jx15	4	114,3	67	ET44
Carisma	06.01-12.04	6Jx15	4	114,3	67	ET44
Carisma	06.95-05.01	6Jx15	4	114,3	67	ET44
Colt/CZC	05.06-	6Jx15	4	114,3	67	ET46
Colt/CZC	05.06-	6Jx15	4	114,3	67	ET46
Colt/CZ3	05.04-	5,5Jx14	4	114,3	67	ET46
Colt/CZ3	06.04-	5,5Jx14	4	114,3	67	ET46
Colt/CZ3/CZT	05.04-	6Jx15	4	114,3	67	ET46
Colt/CZ3/CZT	06.04-	6Jx15	4	114,3	67	ET46
Colt/Lancer	03.92-02.96	5,00Bx13	4	100	56,5	ET46
Colt/Lancer	03.96-05.04	5,00Bx13	4	100	56,5	ET46
Colt/Lancer	03.92-02.96	5,00Bx13	4	100	56	ET46
Colt/Lancer	03.96-04.04	5,00Bx13	4	100	56	ET46
Colt/Lancer	09.88-02.92	5Jx13	4	114,3	67	ET46
Colt/Lancer	03.92-02.96	5,5Jx14	4	100	56	ET46
Colt/Lancer	03.96-04.04	5,5Jx14	4	100	56	ET46
Colt/Lancer	09.88-02.96	5,5Jx14	4	114,3	67	ET46

Model	Lata produkcji	Rozmiar felg	liczba otworów mocujących	średnica otworu centralnego	Rozstaw otworów mocujących	ET
Galant	03.93-03.97	5,5Jx14	4	114,3	67	ET46
Galant	03.93-03.97	5,5Jx14	4	114,3	67	ET46
Galant	09.88-02.93	5,5Jx14	4	114,3	67	ET46
Galant	01.98-03.01	6Jx15	4	114,3	67	ET46
Galant	04.01-04.04	6Jx15	4	114,3	67	ET46
Galant	04.01-04.04	6Jx15	4	114,3	67	ET46
Galant	01.98-03.01	6Jx15	4	114,3	67	ET46
Grandis	04.04-	6,5Jx16	5	114,3	67	ET46
Lancer	09.03-01.08	6Jx15	4	114,3	67	ET46
Lancer	09.03-01.08	6Jx15	4	114,3	67	ET46
Lancer	02.08-	6,5Jx16	5	114,3	67	ET46
Lancer	02.08-	6,5Jx16	5	114,3	67	ET46
Lancer Sport	09.03-01.08	6Jx16	5	114,3	67	ET46
Lancer Sport	09.03-01.08	6Jx16	5	114,3	67	ET46
Outlander	02.07-	6,5Jx16	5	114,3	67	ET38
Outlander	06.03-01.07	6Jx16	5	114,3	67	ET46
Outlander	06.03-01.07	6Jx16	5	114,3	67	ET46
Pajero Classic	04.91-04.00	6Jx15	6	139,7	93	ET33
Pajero Pinin	05.00-12.05	6Jx16	5	114,3	67	ET46
Pajero Pinin	05.00-12.05	6Jx16	5	114,3	67	ET46
Space Gear	04.95-12.02	5,5Jx14	5	114,3	67	ET40
Space Gear	10.96-12.02	6Jx15	5	114,3	67	ET40
Space Gear 4x4	04.95-12.02	6Jx15	6	139,7	93	ET33
Space Runner/Space Wagon	09.91-02.99	5,5Jx14	4	114,3	67	ET46
Space Runner/Wagon	09.91-02.99	5,5Jx14	4	114,3	67	ET46
Space Runner/Wagon	09.91-02.99	5,5Jx14	4	114,3	67	ET46
Space Runner/Wagon	03.99-12.01	6Jx15	5	114,3	67	ET46
Space Star	10.98-12.05	5,5Jx14	4	114,3	67	ET46
Space Star	10.98-	5,5Jx14	4	114,3	67	ET46
L300	01.87-12.99	5Jx14	5	114,3	67	ET40
L400	05.96-12.02	5,5Jx14	5	114,3	67	ET40